



RECEIVED
MAR 29 2001

Technology Center 2100

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Docket No. 8884.00

Application of

Stephen W. Swaine et al.

Serial No. 09/710,342

Filed: November 9, 2000

FOR: SELF-SERVICE TERMINAL

CLAIM FOR BENEFIT OF
EARLIER-FILED FOREIGN
APPLICATION

MAR 22 2001

Group Art Unit: 2171

Examiner: Unknown

#4
735/101
P. Talbot
Technology Center 2100

RECEIVED
100% 0 2001

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231 on
MAR 22 2001 (Date of Deposit).


Shirley Doll


Assistant Commissioner for Patents

Washington, D.C. 20231

Sir:

Applicants wish to claim the benefit of the filing date of the earlier U.K. Application Serial No. 9928736.9, filed on December 3, 2000, recited in the Declaration under the provision of 35 U.S.C. 119, and accordingly, Applicants submit herewith a certified copy of said British application.

Respectfully submitted,



Michael Chan
Reg. No. 33,663
Attorney for Applicant(s)

RECEIVED
APR 10 2001
Technology Center 2100

NCR Corporation, Law Department, ECD-2
101 West Schantz Avenue, Dayton, OH 45479-0001
Tel. No: 937-445-4956/Fax No. 937-445-3733



RECEIVED

APR 10 2001



INVESTOR IN PEOPLE

Technology Center 2100

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

RECEIVED

APR 10 2001

Technology Center 2100

Signed

Dated 3 November 2000

1/77

Patents Act 1977
(Rule 16)



07DEC99 E497054-9 D02073
P01/7700 0.00-9928736.9

Statement of inventorship and of right to grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

RECEIVED
APR 10 2001
Technology Center 2100

The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH

1. Your reference

8884

2. Patent application number
(The Patent Office will fill in this part)

9928736.9

03 DEC 1999

3. Full name, address and postcode of the or of each applicant (underline all surnames)

NCR INTERNATIONAL, INC
1700 SOUTH PATTERSON BOULEVARD
DAYTON, OHIO 45479
UNITED STATES OF AMERICA

Patents ADP number (if you know it)

7409352001

If the applicant is a corporate body, give the country/state of its incorporation

INCORPORATED IN THE STATE OF DELAWARE

4. Title of the invention

SELF SERVICE TERMINAL

5. Name of your agent (if you have one)
"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

B WILLIAMSON
INTERNATIONAL IP DEPARTMENT
NCR LIMITED
206 MARYLEBONE ROAD
LONDON NW1 6LY

Patents ADP number (if you know it)

791767001

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number
(if you know it)

Date of Filing
(day/month/year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day/month/year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

- a) any applicant named in part 3 is not an inventor, or
 - b) there is an inventor who is not named as an applicant, or
 - c) any named applicant is a corporate body.
- See note (d))

YES

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document.
- Continuation sheets of this form

Description	9
Claim(s)	2
Abstract	1
Drawing(s)	2 + 2

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translation of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination (Patents Form 9/77)

1

Request for substantive examination (Patents Form 10/77)

Any other documents
(please specify)

11.

I/We request the grant of a patent on the basis of this application.

Signature

Christine Sheppard

Date 03-12-1999

12. Name and daytime telephone number of person to contact in the United Kingdom

CHRISTINE SHEPPARD
0171 725 8379

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 01645 500505
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

SELF SERVICE TERMINAL

The present invention relates to a self-service terminal (SST). In particular, the invention relates to an SST, such as an automated teller machine (ATM), having a simplified user interface.

ATM user interfaces generally have two sets of keys for inputting data. One set is referred to as a keypad and comprises typically sixteen keys, where each key displays a numeral (typically from "0" to "9"), a brief word (such as "Enter", "Cancel", or such like), or is left blank. The second set of keys is referred to as FDKs (function display keys) and typically consists of two columns of four identical keys. The columns are located on either side of a screen, and a leader line is provided between each key and a portion of the screen to align the key with any text displayed on that portion of the screen. During a transaction, the ATM may display transaction types or amounts as options on the screen for selecting using an appropriate FDK. The function associated with each FDK depends on the option displayed by the screen.

One problem with using an ATM is that conventional ATMs conventionally provide many different transaction options. To execute a desired transaction a user must navigate through a sequence of menu screens using the keypad or FDKs as appropriate. This increases the possibility of a user becoming confused and/or failing to navigate through the sequence of menu screens to execute a desired transaction.

Another problem with using an ATM is that most of the keys look very similar to someone who is partially-sighted

or cognitively-impaired, which may make it more difficult for these people to use ATMs effectively.

A disadvantage associated with having an ATM that uses two sets of keys is the additional expense in providing these keys and in aligning the FDKs with a screen to avoid parallax problems (where text on a display only aligns with an FDK at a particular viewing angle).

It is an object of one or more embodiments of the present invention to obviate or mitigate one or more of the above disadvantages or other disadvantages associated with conventional SSTs.

According to a first aspect of the invention there is provided a self-service terminal having a user interface comprising a plurality of indicators for entering data characterised in that each indicator has a unique attribute, and each indicator may be associated with a pre-defined transaction, so that a user may execute a desired transaction by selecting a single indicator.

By virtue of this aspect of the invention dedicated indicators are provided on an SST, each indicator being operable to execute a specific transaction, so that a user only requires to make one selection to execute a complete transaction. This ensures that a user does not need to navigate through a sequence of menu screens to select a transaction.

Preferably, each indicator is permanently visible, so that a user can observe the indicators prior to using the SST. This feature has the advantage that a user can verify that an SST has a single selection transaction capability

before using the SST. Alternatively, the indicators may be displayed only after a user has been identified. This feature may be used if the indicators are provided on a touch-sensitive screen.

Preferably, each indicator is three-dimensional, such as a push button, a key, or such like. Alternatively, each indicator may be two-dimensional, such as an image displayed on a touch-sensitive screen, or such like. The advantage of having a three-dimensional indicator is that a blind or partially-sighted person can locate the indicators more easily than if they are two-dimensional.

Preferably, each three-dimensional indicator is configured so that the indicator protrudes from a surface on which it is mounted. This configuration allows a blind or partially-sighted person to touch the sides and top surface of an indicator, thereby assisting the user to identify the indicator.

The unique attribute may be related to the size of the indicator, for example, one indicator may be very small, a second indicator may be larger than the first, a third indicator may be larger than the second, and so on, so that a user can distinguish between indicators by the size of each indicator.

The unique attribute may be related to the colour of the indicator, for example, one indicator may be blue, another red, another green, another yellow, and such like.

The unique attribute may be related to the shape of the indicator, for example, one indicator may be star-shaped, another may be square, another may be round, and such like.

The unique attribute may be related to the surface texture and/or surface pattern of the indicator.

The unique attribute may be a combination of two or more of the above attributes, for example, a yellow star-shaped indicator, a blue square indicator, or such like.

The unique attribute may be related to some other recognisable difference between the indicators to allow a cognitively-impaired individual to discriminate readily between the different indicators.

The pre-defined transaction may be withdrawal of cash, printing a receipt, depositing cash, purchasing a money order, or such like.

In one embodiment, the pre-defined transaction may be programmed by a user; that is, the indicators may be user-configurable so that a user is able to associate each indicator with a desired transaction. In such an embodiment, each indicator may be associated with a different transaction for each user. For example, for one user a star-shaped key may be associated with withdrawing ten pounds; whereas, for another user, the same star-shaped key may be associated with printing a receipt.

In another embodiment, the pre-defined transaction may be programmed by the owner of the SST; that is, the indicators may be configured by the owner of the SST so that each indicator is associated with the same transaction regardless of the identity of the user. For example, a star-shaped key may be associated with withdrawing twenty pounds for every user of the SST.

In one embodiment, the unique attribute of each indicator may designate the type of transaction associated with that indicator. For example, an indicator that is associated with printing a receipt may include an image of a receipt; an indicator that is associated with withdrawing twenty pounds may include an image of a twenty pound note; and such like.

In another embodiment, the unique attribute of each indicator that is associated with withdrawing cash may include the amount of cash that is withdrawn by selecting that indicator. For example, an indicator for withdrawing ten pounds may include the text "£10" on the indicator.

These embodiments have particular advantages for cognitively-impaired individuals as they are provided with a visual indication of the type and/or value of the transaction associated with each indicator.

According to a second aspect of the invention there is provided a self-service terminal having a user interface comprising a plurality of indicators for entering data characterised in that each indicator is different to the other indicators, and each indicator may be associated with a pre-defined transaction, so that a user may execute a desired transaction by selecting only one indicator.

According to a third aspect of the invention there is provided a method of executing a transaction at a self-service terminal, the method characterised by the steps of: providing a plurality of indicators, each indicator having a unique attribute; associating a unique transaction with each indicator; and, in response to a selection of one of the

indicators, executing a transaction associated with the selected indicator.

According to a fourth aspect of the invention there is provided a self-service terminal comprising a user-interface consisting essentially of a plurality of different indicators, an identifier, and a dispensing area.

The identifier may be in the form of a card reader with or without a PIN entry device, a biometrics unit, or some other device for identifying a user.

The dispensing area may comprise one or more slots for dispensing valuable media such as cash, tickets, vouchers, and such like.

By virtue of this aspect of the invention an SST is provided that is inexpensive because it may not require a display.

According to a fifth aspect of the invention there is provided a self-service terminal characterised in that the terminal includes a plurality of different indicators, each indicator being associated with a specific transaction, whereby a user can execute a desired transaction in a single operation by selecting one of the indicators.

According to a sixth aspect of the invention there is provided a self-service terminal including a plurality of indicators characterised in that each indicator is operable to execute a transaction as a result of a single selection, so that after a user is identified, each transaction consists of a single selection by a user.

These and other aspects of the invention will be apparent from the following specific description, given by

way of example, with reference to the accompanying drawings, in which:

Fig 1 is a perspective view of an SST in accordance with one embodiment of the present invention;

Fig 2 is a plan view of the SST of Fig 1;

Fig 3 is an enlarged view of the indicators of Figs 1 and 2; and

Fig 4 is a block diagram of the SST of Figs 1 and 2.

Referring to Figs 1 to 3, an SST 10 in the form of an ATM has an egg-shaped body 12 mounted on a base 14 that is coupled to a stand 16. The ATM 10 includes a user interface 20. The user interface 20 comprises an LCD touch-sensitive display 22, a dispensing area 24 for dispensing cash to a user of the ATM 10, a swipe card reader slot 26, and six permanently-visible indicators 28a to 28f.

The six indicators 28 are in the form of six push buttons, each push button having a different shape, including an ellipse 28a, a square 28b, a circle 28c, a diamond 28d, a triangle 28e, and a star 28f.

Referring to Fig 4, the ATM 10 has a controller 30 for controlling the operation of the ATM 10. The controller 30 is connected to a dispenser 32, the LCD display 22, an indicators module 34 that includes the push buttons 28, and a card reader module 36 that is located behind the card reader slot 26.

Each push button (for example, 28a) is associated with a pre-defined transaction. In this embodiment, the elliptical button 28a is associated with withdrawing ten pounds, the square button 28b is associated with withdrawing

twenty pounds, the circular button 28c is associated with withdrawing thirty pounds, the diamond-shaped button 28d is associated with withdrawing forty pounds, the triangular button 28e is associated with withdrawing fifty pounds, and the star-shaped button 28f is associated with requesting a statement. The controller 30 is programmed with the pre-defined transactions.

To use the ATM 10, a user swipes his/her card through slot 26, enters his/her PIN using the LCD touch-sensitive display 22, and selects the push button 28 corresponding to the desired transaction, for example push button 28a for withdrawing ten pounds. On detecting push button 28a being depressed, the controller 30 instructs the dispenser 32 to dispense ten pounds to the dispense area 24 for collection by the user.

The ATM 10 may include some information (in the form of a label or presented on the display 22) to notify users about the type and/or value of the transaction associated with each push button.

It will be appreciated that this embodiment has the advantage that a user can execute a transaction by pressing one push button. Another advantage is that if a blind person is using the ATM, then the blind user can easily select a transaction because each push button has a different shape and the function of each push button is not determined by any text presented on the display 22.

Various modifications may be made to the above described embodiment within the scope of the invention, for example, in the above embodiment the unique attribute of each push button is the shape, in other embodiments the

unique attribute may be colour, texture, smell, or any other convenient characteristic for differentiating between push buttons. The indicators may be displayed on the display as touch-sensitive images. In other embodiments, a display may not be required. In other embodiments, the transaction associated with each indicator may be programmed by each user. In other embodiments, the ATM may have a cuboid shape rather than an egg shape. In other embodiments, the SST may be an information kiosk.

Claims

1. A self-service terminal (10) having a user interface (20) comprising a plurality of indicators (28) for entering data characterised in that each indicator (28) has a unique attribute, and each indicator may be associated with a pre-defined transaction, so that a user may execute a desired transaction by selecting a single indicator (28).
2. A terminal according to claim 1, wherein each indicator is a push button.
3. A terminal according to claim 1 or 2, wherein the indicator protrudes from a surface on which it is mounted.
4. A terminal according to any preceding claim, wherein the unique attribute is related to the size of the indicator.
5. A terminal according to any preceding claim, wherein the unique attribute is related to the colour of the indicator.
6. A terminal according to any preceding claim, wherein the pre-defined transaction is programmed by a user.
7. A terminal according to any of claims 1 to 5, wherein the pre-defined transaction is programmed by the owner of the terminal.
8. A self-service terminal (10) having a user interface (20) comprising a plurality of indicators (28) for entering data characterised in that each indicator (28) is different

to the other indicators (28), and each indicator may be associated with a pre-defined transaction, so that a user may execute a desired transaction by selecting only one indicator (28).

9. A method of executing a transaction at a self-service terminal, the method characterised by the steps of: providing a plurality of indicators, each indicator having a unique attribute; associating a unique transaction with each indicator; and, in response to a selection of one of the indicators, executing a transaction associated with the selected indicator.

10. A self-service terminal comprising a user-interface consisting essentially of a plurality of different indicators, an identifier, and a dispensing area.

SELF SERVICE TERMINAL

Abstract

A self-service terminal (10) having a simplified user interface (20) is described. The user interface (20) comprises a plurality of indicators (28) for entering data, where each indicator (28) has a unique attribute, such as size, shape, colour, surface texture, or the like. Each indicator is associated with a pre-defined transaction, so that a user may execute a desired transaction by selecting a single indicator (28). A method of executing a transaction is also described.

[Fig 1]

1/2




Fig 1




Fig 2

THIS PAGE BLANK (USPTO)




Fig 3




Fig 4

THIS PAGE BLANK (USPTO)